

SAFETY DATA SHEET

Print date: 01/16/2019 **Revision Date:** 01/16/2019 **Revision Number:** 2

1. IDENTIFICATION

Product identifier

Product Name: QUAKERCOAT® 175 CFR BLACK

Product code: 016854-05

Other means of identification

Synonyms No information available

Application

Recommended Use Corrosion Preventive
Uses advised against For industrial use only

Supplier/Manufacturer:

Supplier:

Quaker Chemical Corporation * 24 HOUR TRANSPORTATION:

Quaker Park One **CHEMTREC: 1-800-424-9300

901 Hector Street +703-527-3887 (Call collect outside of US)
Conshohocken, PA 19428 * 24 HOUR EMERGENCY HEALTH & SAFETY:

610-832-4000 **QUAKER CHEMICAL CORPORATION: (800) 523-7010 E-mail: she@quakerchem.com (Within US only) Outside of US call (703) 527-3887

2. HAZARDS IDENTIFICATION

Emergency telephone number:

GHS Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Skin Sensitization	Category 1

Label Elements

Emergency Overview

WARNING

Hazard Statements

Causes skin irritation Causes serious eye irritation May cause an allergic skin reaction



Appearance Black Physical State Liquid Odor Solvent

Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace

Precautionary Statements - Response

Specific treatment (see First Aid)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None known

Other Information

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%
Ethylene glycol monobutyl ether	111-76-2	5 - 10%
Carbon Black	1333-86-4	1 - 5%
Proprietary additive	Proprietary	1 - 5%
Ammonia	7664-41-7	<1%
2,4,7,9-Tetramethyldec-5-yne-4,7-diol	126-86-3	<1%

The exact percentage (concentration) of composition has been withheld as a trade secret. If CAS number is "proprietary", the specific chemical identity and percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

General advice: Show this safety data sheet to the doctor in attendance. Remove contaminated

clothing and shoes. Wash contaminated clothing before re-use. Wash off with soap

Revision Date: 01/16/2019

and water. If symptoms persist, call a physician

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

If eye irritation persists, consult a specialist.

Skin contact: Remove and wash contaminated clothing before re-use. Wash off immediately with

soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention.

Ingestion: If swallowed, seek medical advice immediately and show this container or label. Do

not induce vomiting without medical advice. Never give anything by mouth to an

unconscious person

Inhalation: Move to fresh air in case of accidental inhalation of vapors. If not breathing, give

artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

Note to physician: Treat symptomatically.

Medical condition

aggravated by exposure:

Dermatitis and asthma.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or `alcohol` foam. Do not use water with full jet.

Specific hazards: Do not allow material to contaminate ground water system.

Special protective equipment for

fire-fighters:

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear

Explosion data Water mist may be used to cool closed containers

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Do not breathe vapour/dust. Use personal protective

equipment. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling.

Environmental precautions: Do not flush into surface water or sanitary sewer system. Prevent further leakage or

spillage if safe to do so. Avoid subsoil penetration.

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Technical

Provide sufficient air exchange and/or exhaust in work rooms.

measures/precautions:

Safe handling advice:

In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe

vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and

Revision Date: 01/16/2019

eyes. Wash thoroughly after handling.

Storage

Technical measures/storage

conditions:

Store at room temperature in the original container.

Incompatible products: Strong oxidizing agents

Safe storage temperature: 40 - 100 ° F

Shelf life: 12 months

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Chemical Name	ACGIH Exposure Limits	OSHA TWA (final)	NIOSH - Pocket Guide
Ethylene glycol monobutyl ether	20 ppm (TWA)	50 ppm	5 ppm (TWA)
		240 mg/m ³	24 mg/m³ (TWA)
Carbon Black	3 mg/m³ (TWA)	3.5 mg/m ³	3.5 mg/m³ (TWA)
			0.1 mg/m ³ (TWA)
Ammonia	25 ppm (TWA)	50 ppm	25 ppm (TWA)
	35 ppm (STEL)	35 mg/m³	18 mg/m³ (TWA)
			35 ppm (STEL)
			27 mg/m ³ (STEL)

Engineering measures: Ensure adequate ventilation

Personal Protective Equipment:

General: Provide easy access to eyewash/safety shower facilities.

Respiratory protection: If engineering controls do not maintain airborne concentrations to a level which is

adequate to protect worker health, respiratory protection may be required. Contact

your site safety representative for proper respirator selection.

Eye protection: Wear safety glasses with side shields (or goggles)

Hand protection: Wear chemical-resistant gloves as appropriate for the risk of exposure. Contact your

safety department for specific recommendations

Skin and body protection: Wear protective clothing and appropriate footwear necessary for the risk of exposure.

Contact your health and safety department for specific recommendations

Hygiene measures: Handle in accordance with sound chemical hygiene practices. Wear the appropriate

PPE. Avoid contact with skin, eyes and clothing. Remove and wash contaminated

Revision Date: 01/16/2019

clothing before re-use. Do not eat, drink, or smoke while using chemicals.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Appearance Black

Odor Solvent

Odor Threshold No information available

pH concentrate: 8.25

pH DilutionNo information available

Melting/freezing point

No information available

Boiling Point/Range No information available

Flash Point $> 93.33 \, ^{\circ}\text{C} \, / > 200 \, ^{\circ}\text{F}$

Method Closed cup

Evaporation rateNo information available

Flammability Limits in Air

upper flammability limitNo information availablelower flammability limitNo information available

VOC Content Product (lb/gal) 0.88

VOC Content Product (g/L) 106

VOC less water and exempt (lb/gal) 2.10

VOC less water and exempt (g/L) 251

HAP Content Product (g/L): 0.99

HAP Content Product (lb/gal) 0.0083

Solids (% w/w): 32.9

Solids (% v/v): 30.5

Vapor pressure No information available

Vapor densityNo information available

Specific Gravity (g/cc, 15 C) 1.024

Bulk Density (lb/gal, 15 C) 8.55

Water Solubility Soluble in water

Solubility in other solvents No information available

Partition coefficient: n-octanol/water No information available

Autoignition temperature No information available

Decomposition TemperatureNo information available

Kinematic viscosity 19 sec, Zahn Cup #2

Dynamic viscosityNo information available

Molecular Weight No information available

10. STABILITY AND REACTIVITY

Stability: Stable under recommended storage conditions.

Conditions to avoid: Heat, flames and sparks.

Materials to avoid: Strong oxidizing agents.

Hazardous decomposition products: None under normal use.

Hazardous Polymerization: No information available.

11. TOXICOLOGICAL INFORMATION

No toxicological information is available on the product. Data obtained on components are summarized below.

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Eye Contact Irritating to eyes.

Skin Contact Irritating to skin. May cause sensitization by skin contact.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethylene glycol monobutyl ether	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h =
	Oral LD50 Rat 470 mg/kg	Dermal LD50 Rabbit 99	486 ppm (Rat) 4 h
	(Source: NLM_CIP)	mg/kg (Source:	Inhalation LC50 Rat 450
		JAPAN_GHS)	ppm 4 h (females, vapor,
			Source: NLM_PUBMED);

			Inhalation LC50 Rat 486 ppm 4 h (males, vapor, Source: NLM_PUBMED)
Carbon Black	> 15400 mg/kg (Rat) Oral LD50 Rat >15400 mg/kg (Source: NLM_CIP)	> 3 g/kg(Rabbit)	-
Proprietary additive	-	-	-
Ammonia	= 350 mg/kg (Rat) Oral LD50 Rat 350 mg/kg (test substance administered in an aqueous solution, Source: OECD_SIDS)	-	= 2000 ppm (Rat) 4 h Inhalation LC50 Rat 2000 ppm 4 h (Source: NLM_CIP)
2,4,7,9-Tetramethyldec-5-yne-4,7-diol	> 500 mg/kg (Rat) Oral LD50 Rat >500 mg/kg (5% solution in hydrous alcohol; no deaths occurred, Source: CHEMVIEW)	> 1000 mg/kg (Rabbit) Dermal LD50 Rabbit >1000 mg/kg (Source: CHEMVIEW)	> 20 mg/L (Rat) 1 h Inhalation LC50 Rat >20 mg/L 1 h (no deaths occurred, aerosol, Source: CHEMVIEW)

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	IARC Carcinogens	NTP	OSHA -
			Select Carcinogens
Ethylene glycol monobutyl ether	Group 3	Not listed	Not listed
Carbon Black	Group 2B	Not listed	Present
Proprietary additive	Not listed	Not listed	Not listed
Ammonia	Not listed	Not listed	Not listed
2,4,7,9-Tetramethyldec-5-yne-4,7-diol	Not listed	Not listed	Not listed

Sensitization Product contains a component that is classified as a skin sensitizer. No studies have

been conducted on the product itself.

Mutagenic effects: No information available.

Reproductive Toxicity No information available.

Developmental ToxicityNo information available.

Teratogenic No information available.

Specific target organ systemic

toxicity (single exposure)

No information available.

Specific target organ systemic toxicity (repeated exposure)

No information available.

Aspiration hazard Based on viscosity and/or components, not expected to be an aspiration hazard.

Additional information on toxicological effects

No information available

12. ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects

Chemical Name	Toxicity to Fish	Daphnia Magna (Water Flea)	Toxicity to Algae
Ethylene glycol monobutyl ether	1474 mg/L	1550 mg/L	911 mg/L
Carbon Black	No data	5600: 24 h Daphnia	No data
		magna mg/L EC50	
Proprietary additive	No data	No data	No data
Ammonia	0.26 - 4.6: 96 h Lepomis macrochirus mg/L LC50 0.73 - 2.35: 96 h Pimephales promelas mg/L LC50 0.44: 96 h Cyprinus carpio mg/L LC50 1.17: 96 h Lepomis macrochirus mg/L LC50 flow-through 1.19: 96 h Poecilia reticulata mg/L LC50 static 5.9: 96 h Pimephales promelas mg/L LC50 static 1.5: 96 h Poecilia reticulata mg/L LC50 static 1.5: 96	25.4: 48 h Daphnia magna mg/L LC50	No data
2,4,7,9-Tetramethyldec-5-yne-4,7-diol	No data	No data	No data

8.57% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Persistence and Degradability

No information available.

No information available.

Chemical Name	Octanol/water partition coefficient
Ethylene glycol monobutyl ether	0.81
Carbon Black	-
Proprietary additive	-
Ammonia	-1.14
2,4,7,9-Tetramethyldec-5-yne-4,7-diol	-

Mobility: No data available

Ozone: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues/unused products:

Waste disposal must be in accordance with appropriate Federal, State, and local regulations. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local hazardous waste regulatory authority.

Contaminated packaging: Do not re-use empty containers

Methods for cleaning up: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal

binder, sawdust) Sweep up and shovel into suitable containers for disposal

14. TRANSPORT INFORMATION

U. S. DEPARTMENT OF TRANSPORTATION:

Proper shipping name: Not regulated

TDG (CANADA):

Proper shipping name: Not regulated

IMDG/IMO:

Proper shipping name: Not regulated

IATA/ICAO:

Proper shipping name: Not regulated

15. REGULATORY INFORMATION

Federal Regulations

CERCLA/SARA Information:

SARA (311, 312) hazard class: See GHS Classification in Section 2 for hazard class information.

Chemical Name	Hazardous Substances Extremely Hazardous		SARA 313 Emission
	and RQs	Substances and TPQs	Reporting
Ethylene glycol monobutyl ether	Not listed	Not listed	1.0 %
Carbon Black	Not listed	Not listed	Not listed
Proprietary additive	Not listed	Not listed	Not listed
Ammonia	100 lb	500 lb	1.0 %
2,4,7,9-Tetramethyldec-5-yne-4,7-diol	Not listed	Not listed	Not listed

Clean Air and Clean Water Acts:

Chemical Name	Hazardous Air	CWA - Hazardous	CWA - Toxic	CWA - Priority
	Pollutants	Substances	Pollutants	Pollutants
Ethylene glycol monobutyl ether	Exempt	Not listed	Not listed	Not listed
Carbon Black	Not listed	Not listed	Not listed	Not listed
Proprietary additive	Not listed	Not listed	Not listed	Not listed
Ammonia	Not listed	Listed	Not listed	Not listed
2,4,7,9-Tetramethyldec-5-yne-4,7-	Not listed	Not listed	Not listed	Not listed
diol				

U.S. STATE REGULATIONS (RTK):

Chemical Name	California	PARTK	MI Critical	NJRTK	MARTK
	Proposition 65		Materials		
Ethylene glycol	Not Listed	Present	Not Listed	0275 3138	Present
monobutyl ether		Environmental			
		hazard			
Carbon Black	carcinogen	Present	Not Listed	0342	Present
Proprietary additive	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
Ammonia	Not Listed	Environmental	Not Listed	0084	Extraordinarily
		hazard			hazardous
2,4,7,9-Tetramethyldec-	Not Listed	Not Listed	Not Listed	Not Listed	Not Listed
5-yne-4,7-diol					

California Proposition 65 Status: May contain trace amounts of listed chemicals: Ethyl benzene; Styrene; Methyl isobutyl ketone; Toluene; Ethylene oxide; Bisphenol A; Cumene

CANADIAN REGULATIONS:

Chemical Name	CEPA Schedule I	Challenge Substances
Ethylene glycol monobutyl ether	Listed	Not listed
Carbon Black	Not listed	Listed
Proprietary additive	Not listed	Not listed
Ammonia	Listed	Not listed
2,4,7,9-Tetramethyldec-5-yne-4,7-diol	Not listed	Not listed

INVENTORY STATUS:

United States TSCA Inventory:

This product complies with TSCA

Canada DSL/NDSL Inventory List

All components except one are on the DSL Inventory List. The remaining ingredient is listed on the NDSL Inventory List.

16. OTHER INFORMATION

Sources of key data used to compile Material safety data sheets of the ingredients. **the data sheet:**

Prepared by: Quaker Chemical Corporation -Safety, Health and Environmental Affairs Group - US

Revision Date: 01/16/2019

Reason for revision: This data sheet contains changes from the previous version in section(s) 9.

Personal protection recommendations should be reviewed by purchasers. Workplace conditions are important factors in specifying adequate protection.

Disclaimer

This product's safety information is provided to assist our customers in assessing compliance with safety/health/environmental regulations. The information contained herein is based on data available to us and is believed to be accurate. However, no warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of this data, the results to be obtained from the use thereof, or the hazards connected with the use of the product. Since the use of this product is within the exclusive control of the user, it is the user's obligation to determine the conditions for safe use of the product. Such conditions should comply with all regulations concerning the

016854-05 -	QUAKERCOAT® 175	11/11	Revision Date: 01/16/2019
		,	
such compan	ny.	End of Safety Data Sheet	
consequentia	al, resulting from the use of th	Safety Data Sheet assumes no liabili iis product unless such injury or dan	ity for any injury or damage, direct or nage is attributable to the gross negligence of